## INDEX TO VOLUME 22

Abstracts, 285

Acid lipase, analytical subcellular fractionation with special reference to; the retinal pigment epithelium, 519

Affinity of melanin for inorganic ions, 487

Age, changes in the corneal endothelium as a function of, 587

Aging, development and cataract, a review of structural proteins of the mammalian lens with emphasis on changes in, 1

Albino and pigmented rabbits, naphthalene cataract in, 393

—, black, and beige mice, light-induced alterations of retinal pigment epithelium in, 549

Alcohol dehydrogenase and retinol dehydrogenase in bovine retinal pigment epithelium, 367 Amphibian lens, in vitro effects of hyperosmotic agents on the electrical properties of, 195

Anatomy and fine structure of the eye in teleost: the choriocapillaris and the dual vascularization of the area centralis in Fundulus grandis, 169

Anterior chamber paracentesis, an inexpensive blowgun device for, 193

— polar and posterior subcapsular cataract in a patient with retinitis pigmentosa: a light-microscopic and ultrastructural study, 155

Aqueous humor formation, intraocular pressure and outflow facility in rabbits, effect of parasympathetic stimulation on, 639

- — in cortical, nuclear, and complicated cataracts, the alpha-crystallin content of, 75

———, lens and vitreous of rabbit, phospholipid distributions and fatty acid composition of lysophosphatidylcholine and phosphatidylcholine in, 569

Area centralis, the choriocapillaris and the dual vascularization of, in *Fundulus grandis*; the anatomy and fine structure of the eye in teleost, 169

ARYA, D. V. (see MILLER, S. P.), 329

Au, P. C. (see Potts, A. M.), 487

Autoradiographic study of the pigment epithelial cell surface receptor for plasma retinol-binding protein; transport of retinol from the blood to the retina, 395

Balazs, E. (see Dohlman, C. D.), 359

Bando, M., Nakajima, A., Nakagawa, M. and Hiraoka, T., Measurement of protein distribution in human lens by microspectrophotometry, 389

Beebe, D. C. and Piatigorsky, J., Differential synthesis of crystallin and noncrystallin polypeptides during lens fiber cell differentiation in vitro, 237

Beige, black, and albino mice, light-induced alterations of retinal pigment epithelium in, 549

Bellhorn, M. B. and Lewis, R. K., Localization of ions in retina by secondary ion mass spectrometry, 505

Bentley, P. J. (see Yorio, T.), 195

BERGSMA, D. (see REDFERN, N.), 559

—, D. R. (see Wiggert, B. O.), 411

BERMAN, E. R. (see ROTHMAN, H.), 519

—, M. B., CAVANAGH, H. D. and GAGE, J., Regulation of collagenase activity in the ulcerating cornea by cyclic-AMP, 209

Berrospi, A. R. (see Laing, R. A.), 587

Binding of concanavalin A to the rod outer segments and pigment epithelium of normal and RCS rats, 469

Black, albino, and beige mice, light-induced alterations of retinal pigment epithelium in, 549

Blood, transport of retinol to the retina from: an autoradiographic study of the pigment epithelial cell surface receptor for plasma retinol-binding protein, 395

, — — — : involvement of high molecular weight lipoproteins as

intracellular carriers, 403

Blowgun device, inexpensive, for anterior chamber paracentesis, 193

Вок, D. and Heller, J., Transport of retinol from the blood to the retina: an autoradiographic study of the pigment epithelial cell surface receptor for plasma retinol-binding protein, 395

Bovine and human retinal pigment epithelium, an in vitro model of phagocytosis in, 533

—— retina, retinol and retinoic acid-binding proteins in: aspects of binding specificity, 419——, retinol-binding protein in: isolation and partial characterization, 425

--- retinal pigment epithelium, alcohol dehydrogenase and retinol dehydrogenase in, 367

Brenner, S. L. and Parsegian, V. A., Suggested explanation for the anomalous temperature dependence of the corneal swelling pressure, 95

Bridges, C. D. B., Vitamin A and the role of the pigment epithelium during bleaching and regeneration of rhodopsin in the frog eye, 435

Broekhuyse, R. M. and Soeting, W. J., Lipids in tissues of the eye XV. Essential fatty acids in lens lipids, 653

—— (see Roelfzema, H.), 85

Bron, A. J. (see Dilley, K. J.), 155

Burke-Gadomski, P. (see Farnsworth, P. N.), 615

Calcium and magnesium content of rodent photoreceptor cells as inferred from studies of retinal degeneration, 219

— in the migration of retinal screening pigment in the frog, a role for, 377

Calf lens, synthesis of sphingomyelin in; lipids in tissues of the eye, 85

Carriers, intracellular, involvement of high molecular weight lipoproteins as, in transport of retinol from the blood to the retina, 403

Cataract, aging and development, a review of structural proteins of the mammalian lens with emphasis on changes in, 1

——, anterior polar and posterior subcapsular, in a patient with retinitis pigmentosa: a light-microscopic and ultrastructural study, 155

—, naphthalene, in pigmented and albino rabbits, 393

Cataractous crystalline and normal lens, photomacrography of, 281

Cataracts, cortical, nuclear and complicated, the alpha-crystallin content of a queous humour in, 75

CAVANAGH, H. D. (see BERMAN, M. B.), 209

Cells, epithelial, of the mature human lens, surface ultrastructure of, 615

——, lens fibre, a method to demonstrate the fine structural components of, 125

CHADER, G. (see REDFERN, N.), 559

— G. J. (see Wiggert, B. O.), 411

Chick embryo, scanning electron microscopy of lens placode invagination in, 647

Choriocapillaris and the dual vascularization of the area centralis in *Fundulus grandis*; the anatomy and fine structure of the eye in teleost, 169

CHYLACK, L. T. (see Greiner, J. V.), 281

Ciliary epithelium and the drainage angle of cynomolgus monkeys, the effects of prostaglandin  $E_1$  on; a light- and electron-microscopic study, 141

CINOTTI, A. A. (see FARNSWORTH, P. N.), 615

Collagenase activity in the ulcerating cornea, regulation by cyclic-AMP, 209

Concanavalin A, its binding to the rod outer segments and pigment epithelium of normal and RCS rats, 469

Contact lenses, soft, effect on limbal wound healing, 611

COPELAND, D. E., The anatomy and fine structure of the eye in teleost IV. The choriocapillaris and the dual vascularization of the area centralis in *Fundulus grandis*, 169

Cornea, ulcerating, regulation of collagenase activity by cyclic-AMP, 209

Corneal and scleral differentiation in the primate, some aspects of, 305

—— endothelium, changes in, as a function of age, 587

— — in vivo: its response to mild trauma, 347

—— swelling pressure, suggested explanation for the anomalous temperature dependence of, 95 Cortical, nuclear and complicated cataracts, the alpha-crystallin content of aqueous humour in, 75 COTLIER, E. (see Kim, J. O.), 569

Crystallin and noncrystallin polypeptides, differential synthesis of, during lens fiber cell differentiation in vitro, 237

 $\alpha$ -Crystallin content of aqueous humour in cortical, nuclear and complicated cataracts, 75

δ-Crystallin mRNA, molecular weight and sequence complexity of, 115

Crystalline normal and cataractous lens, photomacrography of, 281

Cyclic-AMP and prostaglandins, their effects on pigmentation; neural retinal and pigment epithelial cells in culture, 559

—, regulation of collagenase activity in the ulcerating cornea by, 209

Cynomolgus monkeys, the effects of prostaglandin  $E_1$  on the ciliary epithelium and the drainage angle of; a light- and electron-microscopic study, 141

Debris accumulation, guanosine 3',5' cyclic monophosphate changes and photoreceptor cell degeneration in retina of RCS rats, a proposed link between, 477

-, lipid composition of; hereditary retinal dystrophy in the rat, 101

Development, aging and cataract, a review of structural proteins of the mammalian lens with emphasis on changes in, 1

Differential synthesis of crystallin and noncrystallin polypeptides during lens fiber cell differentiation in vitro, 237

Differentiation patterns and effects of prostaglandins and cyclic AMP on pigmentation; neural retinal and pigment epithelial cells in culture, 559

DILLEY, K. J., BRON, A. J. and HABGOOD, J. O., Anterior polar and posterior subcapsular cataract in a patient with retinitis pigmentosa: a light-microscopic and ultrastructural study, 155
 ———— (see HARDING, J. J.), 1

DOHLMAN, C. D., FRIEND, J., KALEVAR, V., YAGODA, D. and BALAZS, E., The glycoprotein (mucus) content of tears from normals and dry eye patients, 359

Drainage angle and ciliary epithelium of cynomolgus monkeys, the effects of prostaglandin  $E_1$  on; a light- and electron-microscopic study, 141

Dry eye patients and normals, the glycoprotein (mucus) content of, 359

Dystrophy, retinal, hereditary, in the rat: lipid composition of debris, 101

-, -, of albino and pigmented rats, the slow ERG potentials in, 493

EDGAR, W. (see FORRESTER, J. V.), 181

Electrical properties of the amphibian lens in vitro, the effects of hyperosmotic agents on, 195 Electron- and light-microscopic study of the effects of prostaglandin  $E_1$  on the ciliary epithelium and the drainage angle of cynomolgus monkeys, 141

Electron microscopy, scanning, of lens placode invagination in the chick embryo, 647

Electronmicroscopical, histochemical and biochemical findings on the Na-K-ATPase activity in the epithelium of the rat lens, 229

Embryo, chick, scanning electron microscopy of lens placode invagination in, 647

Endothelium, corneal, changes in, as a function of age, 587

---, in vivo: its response to mild trauma, 347

Enzymes, some, in tear fluid, the origin of, determined by comparative investigation with two collection methods, 267

Epithelial cells of the mature human lens, surface ultrastructure of, 615

Epithelium of the rat lens, electronmicroscopical, histochemical and biochemical findings on the Na-K-ATPase activity in, 229

ERG potentials, slow, in hereditary retinal dystrophy of albino and pigmented rats, 493

Farber, D. B. and Lolley, R. N., Calcium and magnesium content of rodent photoreceptor cells as inferred from studies of retinal degeneration, 219

——— (see Lolley, R. N.), 477

FARNSWORTH, P. N., BURKE-GADOMSKI, P., KULYK, T., MAURIELLO, J. A. and CINOTTI, A. A., Surface ultrastructure of the epithelial cells of the mature human lens, 615

Fatty acid composition and phospholipid distributions of lysophosphatidylcholine and phosphatidylcholine in rabbit aqueous humour, lens and vitreous, 569

Fatty acids, essential, in lens lipids, 653

Feeney, L. and Mixon, R. N., An in vitro model of phagocytosis in bovine and human retinal pigment epithelium, 533

—— (see Rothman, H.), 519

INDEX Fiber, lens, cell differentiation in vitro, differential synthesis of crystallin and noncrystallin polypeptides during, 237 -, cells, a method to demonstrate the fine structural components of, 125 Fibers, lens, in healing mouse lens, a scanning electron microscopic study of, 335 Fibrinolysis, intravitreal, in experimental vitreous haemorrhage, 181 Forbes, C. D. (see Forrester, J. V.), 181 Forrester, J. V., Edgar, W., Prentice, C. R. M., Forbes, C. D. and Williamson, J., Intravitreal fibrinolysis in experimental vitreous haemorrhage, 181 Fractionation, subcellular, analytical, with special reference to acid lipase; the retinal pigment epithelium, 519 FRIEND, J. (see DOHLMAN, C. D.), 359 Frog, a role for calcium in the migration of retinal screening pigment in, 377 eye, vitamin A and the role of the pigment epithelium during bleaching and regeneration of rhodopsin in, 435 -, Rana pipiens, in vitro elimination of oocyte melanosomes from the retinal rudiment of, 129 retina, isolated, further observations on the uptake of [3H]glycine by, 189 retinas, isolated, reduction of the retinal-opsin linkage in, 595 Fundulus grandis, the choriocapillaris and the dual vascularization of the area centralis in; the anatomy and fine structure of the eye in teleost, 169 Futterman, S., Saari, J. C. and Swanson, D. E., Retinol and retinoic acid-binding proteins in bovine retina: aspects of binding specificity, 419 (see Saari, J. C.), 425 GAGE, J. (see BERMAN, M. B.), 209 Glasius, E. (see van Haeringen, N. J.), 267 γ-Glutamyl transpeptidase in human ocular tissues, studies of, 329 Glutathione metabolism in rat lens, use of hydroperoxides in the studies of, 577 [3H]Glycine, further observations on the uptake of, by the isolated retina of the frog, 189

Glycoprotein (mucus) content of tears from normals and dry eye patients, 359

GREINER, J. V., CHYLACK, L. T. and PIHLAJA, D. J., Photomacrography of the crystalline normal and cataractous lens, 281

Guanosine 3',5' cyclic monophosphate changes, debris accumulation and photoreceptor cell degeneration in retina of RCS rats, a proposed link between, 477

Habgood, J. O. (see Dilley, K. J.), 155

Haemorrhage, vitreous, experimental, intravitreal fibrinolysis in, 181

Hall, M. O. and Bok, D., Reduction of the retinal-opsin linkage in isolated frog retinas, 595 and Nir, I., The binding of concanavalin A to the rod outer segments and pigment

epithelium of normal and RCS rats, 469

HARDING, J. J. and DILLEY, K. J., Structural proteins of the mammalian lens: a review with emphasis on changes in development, aging and cataract, 1

HELLER, J. and Bok, D., Transport of retinol from the blood to the retina: involvement of high molecular weight lipoproteins as intracellular carriers, 403

- (see Box, D.), 395

Hereditary retinal dystrophy in the rat: lipid composition of debris, 101

of albino and pigmented rats, the slow ERG potentials in, 493

High molecular weight protein from human lenses, 273

HIRAOKA, T. (see BANDO, M.), 389

Hollyfield, J. G., In vitro elimination of occyte melanosomes from the retinal rudiment of the frog, Rana pipiens, 129

-, Phagocytic capabilities of the pigment epithelium, 457

Huhtala, A., Origin of myelinated nerves in the rat iris, 259

Human and bovine retinal pigment epithelium, an in vitro model of phagocytosis in, 533

lens, high molecular weight protein from, 273

-, mature, surface ultrastructure of the epithelial cells of, 615

-, measurement by microspectrophotometry of protein distribution in, 389

-, neutral proteinase activity in, 251

ocular tissues, studies of γ-glutamyl transpeptidase in, 329

Hydroperoxides, use in the studies of glutathione metabolism in rat lens, 577

Hyperosmotic agents and their effect on the electrical properties of the amphibian lens in vitro, 195

Intravitreal fibrinolysis in experimental vitreous haemorrhage, 181

Invagination, lens placode, in the chick embryo, scanning electron microscopy of, 647

Ions, inorganic, the affinity of melanin for, 487

Ions, localization in retina by secondary ion mass spectrometry, 505

Iris, rat, origin of myelinated nerves in, 259

ISRAEL, P. (see REDFERN, N.), 559

Kalevar, V. (see Dohlman, C. D.), 359

Kim, J. O. and Cotlier, E., Phospholipid distributions and fatty acid composition of lysophosphatidylcholine and phosphatidylcholine in rabbit aqueous humour, lens and vitreous, 569

Kulyk, T. (see Farnsworth, P. N.), 615

Kuwabara, T. (see Robison, W. G. Jr.), 549

Laing, R. A., Sandstrom, M. M., Berrospi, A. R. and Leibowitz, H. M., Changes in the corneal endothelium as a function of age, 587

LEIBOWITZ, H. M. (see LAING, R. A.), 587

Lens, amphibian, in vitro effects of hyperosmotic agents on the electrical properties of, 195

- —, aqueous humour and vitreous of rabbit, phospholipid distributions and fatty acid composition of lysophosphatidylcholine and phosphatidylcholine in, 569
- —, calf, synthesis of sphingomyelin in; lipids in tissues of the eye, 85
- ----, crystalline normal and cataractous, photomacrography of, 281
- —— epithelium, rat, electronmicroscopical, histochemical and biochemical findings on the Na-K-ATPase activity in, 229
- —— fiber cell differentiation in vitro, differential synthesis of crystallin and noncrystallin polypeptides during, 237
- —— fibre cells, a method to demonstrate the fine structural components of, 125
- —— fibers in healing mouse lens, a scanning electron microscopic study of, 335
- ----, human, high molecular weight protein from, 273
- ----, mature, surface ultrastructure of the epithelial cells of, 615
- —, —, measurement by microspectrophotometry of protein distribution in, 389
- —, —, neutral proteinase activity in, 251
- ---- lipids, essential fatty acids in, 653
- ——, mammalian, structural proteins of; a review with emphasis on changes in development, aging and cataract, 1
- —— placode invagination in the chick embryo, scanning electron microscopy of, 647
- —— proteins, proteolysis of (autolysis), 625
- , rat, use of hydroperoxides in the studies of glutathione metabolism in, 577

Lenses, contact, soft, effect on limbal wound healing, 611

Lewis, R. K. (see Bellhorn, M. B.), 505

Light-induced alterations of retinal pigment epithelium in black, albino, and beige mice, 549

Light- and electron-microscopic study of the effects of prostaglandin E<sub>1</sub> on the ciliary epithelium and the drainage angle of cynomolgus monkeys, 141

Light-microscopic and ultrastructural study of anterior polar and posterior subcapsular cataract in a patient with retinitis pigmentosa, 155

Limbal wound healing, effect of soft contact lenses on, 611

Lipase, acid, analytical subcellular fractionation with special reference to; the retinal pigment epithelium, 519

Lipid composition of debris: hereditary retinal dystrophy in the rat, 101

Lipids in tissues of the eye: essential fatty acids in lens lipids, 653

\_\_\_\_ : synthesis of sphingomyelin in the calf lens, 85

Lipoproteins, high molecular weight, involvement as intracellular carriers in transport of retinol from the blood to the retina, 403

LIVREA, M. A. (see NICOTRA, C.), 367

Localization of ions in retina by secondary ion mass spectrometry, 505

Lolley, R. N. and Farber, D. B., A proposed link between debris accumulation, guanosine 3',5' cyclic monophosphate changes and photoreceptor cell degeneration in retina of RCS rats, 477

——— (see Farber, D. B.), 219

Lysophosphatidylcholine and phosphatidylcholine, phospholipid distributions and fatty acid composition of, in rabbit aqueous humour, lens and vitreous, 569

Magnesium and calcium content of rodent photoreceptor cells as inferred from studies of retinal degeneration, 219

Mammalian lens, structural proteins of; a review with emphasis on changes in development, aging and cataract, 1

Marchevsky, A. (see Miller, D.), 193, 611

MARSHALL, J. and VOADEN, M. J., Further observations on the uptake of [3H]glycine by the isolated retina of the frog, 189

Mass spectrometry, secondary ion, localization of ions in retina by, 505

Mauriello, J. A. (see Farnsworth, P. N.), 615

Melanin, affinity for inorganic ions, 487

Melanosomes, oocyte, in vitro elimination from the retinal rudiment of the frog, Rana pipiens, 129

Messenger RNA, δ-crystallin, molecular weight and sequence complexity of, 115

Mice, black, albino and beige, light-induced alterations of retinal pigment epithelium in, 549

Microspectrophotometrical measurement of protein distribution in human lens, 389

Migration of retinal screening pigment in the frog, a role for calcium in, 377

MILLER, D. and MARCHEVSKY, A., An inexpensive blowgun device for anterior chamber paracentesis, 193

—— S. P., Arya, D. V. and Srivastava, S. K., Studies of γ-glutamyl transpeptidase in human ocular tissues, 329

MIXON, R. N. (see FEENEY, L.), 533

Molecular weight and sequence complexity of δ-crystallin mRNA, 115

Monkeys, cynomolgus, the effects of prostaglandin  $E_1$  on the ciliary epithelium and the drainage angle of; a light- and electron-microscopic study, 141

Mouse lens, healing, a scanning electron microscopic study of lens fibers in, 335

Nakajima, A. (see Bando, M.), 389

Na-K-ATPase activity in the epithelium of the rat lens, electronmicroscopical histochemical and biochemical findings on, 229

Naphthalene cataract in pigmented and albino rabbits, 393

Nelson, K. J. and Rafferty, N. S., A scanning electron microscopic study of lens fibers in healing mouse lens, 335

Nerves, myelinated, in the rat iris, origin of, 259

Neural retinal and pigment epithelial cells in culture: patterns of differentiation and effects of prostaglandins and cyclic AMP on pigmentation, 559

— proteinase activity in the human lens, 251

NICOTRA, C. and LIVREA, M. A., Alcohol dehydrogenase and retinol dehydrogenase in bovine retinal pigment epithelium, 367

NIR, I. (see Hall, M. O.), 469

Noell, W. K. (see Organisciak, D. T.), 101

—— (see Pautler, E. L.), 493

Nuclear, cortical and complicated cataracts, the alpha-crystallin content of aqueous humour in, 75

Okisaka, S., The effects of prostaglandin E<sub>1</sub> on the ciliary epithelium and the drainage angle of cynomolgus monkeys: a light- and electron-microscopic study, 141

Oocyte melanosomes, in vitro elimination from the retinal rudiment of the frog, Rana pipiens, 129 Organisciak, D. T. and Noell, W. K., Hereditary retinal dystrophy in the rat: lipid composition of debris, 101

Origin of myelinated nerves in the rat iris, 259

Outflow facility, intraocular pressure and aqueous humour formation in rabbits, effect of parasympathetic stimulation on, 639

Ozanics, V., Rayborn, M. and Sagun, D., Some aspects of corneal and scleral differentiation in the primate, 305

Palkama, A. (see Palva, M.), 229

Palva, M. and Palkama, A., Electronmicroscopical histochemical and biochemical findings on the Na-K-ATPase activity in the epithelium of the rat lens, 229

Paracentesis, anterior chamber, an inexpensive blowgun device for, 193

Parasympathetic stimulation, effect on intraocular pressure, formation of the aqueous humour and outflow facility in rabbits, 639

Parsegian, V. A. (see Brenner, S. L.), 95

Pautler, E. L. and Noell, W. K., The slow ERG potentials in hereditary retinal dystrophy of albino and pigmented rats, 493

Perry, M. M., A method to demonstrate the fine structural components of lens fibre cells, 125

Phagocytic capabilities of the pigment epithelium, 457

Phagocytosis in bovine and human retinal pigment epithelium, an in vitro model of, 533

Phosphatidylcholine and lysophosphatidylcholine, phospholipid distributions and fatty acid composition of, in rabbit aqueous humor, lens and vitreous, 569

Phospholipid distributions and fatty acid composition of lysophosphatidylcholine and phosphatidylcholine in rabbit aqueous humor, lens and vitreous, 569

Photomacrography of the crystalline normal and cataractous lens, 281

Photoreceptor cell degeneration, debris accumulation and guanosine 3',5' cyclic monophosphate changes in retina of RCS rats, a proposed link between, 477

—— cells, rodent, calcium and magnesium content as inferred from studies of retinal degeneration, 219

Piatigorsky, J. (see Beebe, D. C.), 237

\_\_\_\_ (see Zelenka, P.), 115

Pigment epithelial cell surface receptor for plasma retinol-binding protein, an autoradiographic study of; transport of retinol from the blood to the retina, 395

————, phagocytic capabilities of, 457
————, retinal. Analytical subcellular fractionation with special reference to acid lipase, 519

———, bovine, alcohol dehydrogenase and retinol dehydrogenase in, 367

———, ——, bovine and human, an in vitro model of phagocytosis in, 533

———, in black, albino, and beige mice, light-induced alterations of, 549
———, vitamin A and the role of, during bleaching and regeneration of rhodopsin in the frog eye, 435

—, retinal screening, in the frog, a role for calcium in the migration of, 377

Pigmentation, patterns of differentiation and effects of prostaglandins and cyclic AMP on; neural retinal and pigment epithelial cells in culture, 559

PIHLAJA, D. J. (see GREINER, J. V.), 281

PIRIE, A. (see VAN HEYNINGEN, R.), 393

Placode invagination, lens, in the chick embryo, scanning electron microscopy of, 647

Polypeptides, crystallin and noncrystallin, differential synthesis of, during lens fiber cell differentiation in vitro, 237

Posterior subcapsular and anterior polar cataract in a patient with retinitis pigmentosa: a light-microscopic and ultrastructural study, 155

Potts, A. M. and Au, P. C., The affinity of melanin for inorganic ions, 487

PRENTICE, C. R. M. (see FORRESTER, J. V.), 181

Pressure, corneal swelling, suggested explanation for the anomalous temperature dependence of, 95—, intraocular, formation of the aqueous humour and outflow facility in rabbits, effect of parasympathetic stimulation on, 639

Primate, some aspects of corneal and scleral differentiation in the, 305

Prostaglandin  $E_1$ , effects on the ciliary epithelium and the drainage angle of cynomolgus monkeys: a light- and electron-microscopic study, 141

Prostaglandins and cyclic AMP, their effects on pigmentation; neural retinal and pigment epithelial cells in culture, 559

Protein distribution in human lens, measurement by microspectrophotometry, 389

—— of high molecular weight from human lenses, 273

- ——, plasma retinol-binding, an autoradiographic study of the pigment epithelial cell surface receptor for; transport of retinol from the blood to the retina, 395
- —, retinol-binding, in bovine retina: isolation and partial characterization, 425

Proteins, lens, proteolysis of (autolysis), 625

- ----, retinoic acid-binding, and retinol in bovine retina: aspects of binding specificity, 419
- —, structural, of the mammalian lens: a review with emphasis on changes in development, aging and cataract, 1

Proteinase activity, neutral, in the human lens, 251

Proteolysis of lens proteins (autolysis), 625

Rabbit aqueous humor, lens and vitreous, phospholipid distributions and fatty acid composition of lysophosphatidylcholine and phosphatidylcholine in, 569

Rabbits, effect of parasympathetic stimulation on intraocular pressure, formation of the aqueous humour and outflow facility in, 639

---, pigmented and albino, naphthalene cataract in, 393

RAFFERTY, N. S. (see Nelson, K. J.), 335

Rana pipiens, in vitro elimination of oocyte melanosomes from the retinal rudiment of, 129

Rat, hereditary retinal dystrophy in: lipid composition of debris, 101

- iris, origin of myelinated nerves in, 259

- —— lens epithelium, electronmicroscopical, histochemical and biochemical findings on the Na-K-ATPase activity in, 229
- ----, use of hydroperoxides in the studies of glutathione metabolism in, 577

Rats, albino and pigmented, the slow ERG potentials in hereditary retinal dystrophy of, 493

- ——, normal and RCS, the binding of concanavalin A to the rod outer segments and pigment epithelium of, 469
- ——, RCS, a proposed link between debris accumulation, guanosine 3',5' cyclic monophosphate changes and photoreceptor cell degeneration in retina of, 477

RAYBORN, M. (see Ozanics, V.), 305

RCS and normal rats, the binding of concanavalin A to the rod outer segments and pigment epithelium of, 469

—— rats, a proposed link between debris accumulation, guanosine 3',5' cyclic monophosphate changes and photoreceptor cell degeneration in retina of, 477

Receptor, pigment epithelial cell surface, for plasma retinol-binding protein, an autoradiographic study of; transport of retinol from the blood to the retina, 395

Receptors, retinol, of the retina and pigment epithelium: further characterization and species variation, 411

Redfern, N., Israel, P., Bergsma, D., Robison, W. G. Jr., Whikehart, D. and Chader, G., Neural retinal and pigment epithelial cells in culture: patterns of differentiation and effects of prostaglandins and cyclic-AMP on pigmentation, 559

Regulation of collagenase activity in the ulcerating cornea by cyclic-AMP, 209

Retina and pigment epithelium, retinol receptors of: further characterization and species variation, 411

- —, bovine, retinol and retinoic acid-binding proteins in: aspects of binding specificity, 419
- -, -, retinol-binding protein in: isolation and partial characterization, 425
- ----, isolated, of the frog, further observations on the uptake of [3H]glycine by, 189

—, localization of ions in, by secondary ion mass spectrometry, 505

- of RCS rats, a proposed link between debris accumulation, guanosine 3',5' cyclic monophosphate changes and photoreceptor cell degeneration in, 477
- ——, transport of retinol from the blood to: an autoradiographic study of the pigment epithelial cell surface receptor for plasma retinol-binding protein, 395

degeneration and the calcium and magnesium content of rodent photoreceptor cells, 219
— dystrophy, hereditary, in the rat: lipid composition of debris, 101
———, ——, of albino and pigmented rats, the slow ERG potentials in, 493
— pigment epithelium. Analytical subcellular fractionation with special reference to acid lipase, 519
————, bovine and human, an in vitro model of phagocytosis in, 533
————, ——, alcohol dehydrogenase and retinol dehydrogenase in, 367
——————————————————————————————————————
—— rudiment of the frog, Rana pipiens, in vitro elimination of oocyte melanosomes from, 129—— screening pigment in the frog, a role for calcium in the migration of, 377
Retinal-opsin linkage in isolated frog retinas, reduction of, 595
Retinitis pigmentosa, anterior polar and posterior subcapsular cataract in a patient with; a light-microscopic and ultrastructural study, 155
Retinoic acid-binding proteins and retinol in bovine retina: aspects of binding specificity, 419
Retinol and retinoic acid-binding proteins in bovine retina: aspects of binding specificity, 419 —— dehydrogenase and alcohol dehydrogenase in bovine retinal pigment epithelium, 367 —— receptors of the retina and pigment epithelium: further characterization and species variation, 411
—— transport from the blood to the retina: an autoradiographic study of the pigment epithelial cell surface receptor for plasma retinol-binding protein, 395
: involvement of high molecular weight lipoproteins as
intracellular carriers, 403
Retinol-binding protein in bovine retina: isolation and partial characterization, 425
Rhodopsin, vitamin A and the role of the pigment epithelium during bleaching and regeneration of, in the frog eye, 435
RNA, messenger, δ-crystallin, molecular weight and sequence complexity of, 115 Robison, W. G. Jr. and Kuwabara, T., Light-induced alterations of retinal pigment epithelium in black, albino and beige mice, 549 ————————————————————————————————————
Rod outer segments and pigment epithelium of normal and RCS rats, the binding of concanavalin A to, 469
Rodent photoreceptor cells, calcium and magnesium content as inferred from studies of retinal degeneration, 219
ROELFZEMA, H., BROEKHUYSE, R. M. and VEERKAMP, J. H., Lipids in tissues of the eye XI. Synthesis of sphingomyelin in the calf lens, 85
ROTHMAN, H., FEENEY, L. and BERMAN, E. R., The retinal pigment epithelium. Analytical subcellular fractionation with special reference to acid lipase, 519
Roy, D. and Spector, A., High molecular weight protein from human lenses, 273
Rudiment, retinal, of the frog, Rana pipiens, in vitro elimination of oocyte melanosomes from, 129
Saari, J. C. and Futterman, S., Retinol-binding protein in bovine retina: isolation and partial characterization, 425
——————————————————————————————————————
Sagun, D. (see Ozanics, V.), 305
Sandberg, H. O., The alpha-crystallin content of aqueous humour in cortical, nuclear and
complicated cataracts, 75 SANDSTROM, M. M. (see LAING, R. A.), 587
Scanning electron microscopic study of lens fibers in healing mouse lens, 335
— microscopy of lens placode invagination in the chick embryo, 647
Scleral and corneal differentiation in the primate, some aspects of, 305
1

Secondary ion mass spectrometry, localization of ions in retina by, 505 Sequence complexity and molecular weight of  $\delta$ -crystallin mRNA, 115

pigment in the frog, 377

SOETING, W. J. (see BROEKHUYSE, R. M.), 653

SHERRARD, E. S., The corneal endothelium in vivo: its response to mild trauma, 347

SNYDER, W. Z. and ZADUNAISKY, J. A., A role for calcium in the migration of retinal screening

Retinal and pigment epithelial cells, neural, in culture: patterns of differentiation and effects of

prostaglandins and cyclic-AMP on pigmentation, 559

Spector, A. (see Roy, D.), 273

Sphingomyelin synthesis in the calf lens; lipids in tissues of the eye, 85

Stimulation, parasympathetic, effect on intraocular pressure, formation of the aqueous humour and outflow facility in rabbits, 639

STJERNSCHANTZ, J., Effect of parasympathetic stimulation on intraocular pressure, formation of the aqueous humour and outflow facility in rabbits, 639

Structural components, fine, of lens fibre cells, a method to demonstrate, 125

—— proteins of the mammalian lens: a review with emphasis on changes in development, aging and cataract, 1

Structure, fine, and anatomy of the eye in teleost: the choriocapillaris and the dual vascularization of the area centralis in *Fundulus grandis*, 169

Surface ultrastructure of the epithelial cells of the mature human lens, 615

SWANSON, D. E. (see FUTTERMAN, S.), 419

Tear fluid, the origin of some enzymes in, determined by comparative investigation with two collection methods, 267

Tears from normals and dry eye patients, the glycoprotein (mucus) content of, 359

Teleost, the anatomy and fine structure of the eye in; the choriocapillaris and the dual vascularization of the area centralis in *Fundulus grandis*, 169

Temperature dependence, anomalous, of the corneal swelling pressure, suggested explanation for, 95

Tissues, human, ocular, studies of  $\gamma$ -glutamyl transpeptidase in, 329

— of the eye, lipids in; essential fatty acids in lens lipids, 653

----; synthesis of sphingomyelin in the calf lens, 85

Transport of retinol from the blood to the retina: an autoradiographic study of the pigment epithelial cell surface receptor for plasma retinol-binding protein, 395

proteins as intracellular carriers, 403

Trauma, mild, effect on corneal endothelium in vivo, 347

Ulcerating cornea, regulation of collagenase activity by cyclic-AMP, 209

Ultrastructural and light-microscopic study of anterior polar and posterior subcapsular cataract in a patient with retinitis pigmentosa, 155

Ultrastructure, surface, of the epithelial cells of the mature human lens, 615

VAN HAERINGEN, N. J. and GLASIUS, E., The origin of some enzymes in tear fluid, determined by comparative investigation with two collection methods, 267

—— (see Trayhurn, P.), 251

Vascularization, dual, and the choriocapillaris of the area centralis in  $Fundulus\ grandis$ ; the anatomy and fine structure of the eye in teleost, 169

VEERKAMP, J. H. (see ROELFZEMA, H.), 85

Vitamin A and the role of the pigment epithelium during bleaching and regeneration of rhodops in the frog eye, 435

Vitreous haemorrhage, experimental, intravitreal fibrinolysis in, 181

——, aqueous humor and lens of rabbit, phospholipid distributions and fatty acid composition of lysophosphatidylcholine and phosphatidylcholine in, 569

Voaden, M. J. (see Marshall, J.), 189

WAKELY, J., Scanning electron microscopy of lens placode invagination in the chick embryo, 647 WHIKEHART, D. (see REDFERN, N.), 559

Wiggert, B. O., Bergsma, D. R. and Chader, G. J., Retinol receptors of the retina and pigment epithelium: further characterization and species variation, 411

WILLIAMSON, J. (see FORRESTER, J. V.), 181 Wound healing, limbal, effect of soft contact lenses on, 611

YAGODA, D. (see DOHLMAN, C. D.), 359

Yorio, T. and Bentley, P. J., The effects of hyperosmotic agents on electrical properties of the amphibian lens in vitro, 195

ZADUNAISKY, J. A. (see SNYDER, W. Z.), 377

Zelenka, P. and Piatigorsky, J., Molecular weight and sequence complexity of  $\delta$ -crystallin mRNA, 115

\*